

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"5870474".pn.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 17:26
S1	6993	713/150-153,160.ccls. or 709/201-202,230,236.ccls.	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 17:26
S2	2866	S1 and @ad<"19991220"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 14:13
S3	1466	S1 and @ad<"19971220"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 14:13
S4	33709	(encod\$3 or pack\$3 or cod\$3 or encapsulat\$3) with (cryptograph\$7 or \$2crypt\$3 or \$2cipher\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 14:16
S5	3166	S4 and (encod\$3 or encapsulat\$3 or pack\$3) with (network or transport) with protocol	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 14:16
S6	36	S5 and S3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 14:15
S7	11756	(encod\$3 or encapsulat\$3) with (cryptograph\$7 or \$2crypt\$3 or \$2cipher\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 14:16

S8	1117	S7 and (encod\$3 or encapsulat\$3 or pack\$3) with (network or transport) with protocol	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 14:16
S9	22	S8 and S3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 14:20
S10	2	encrypt\$2 adj network adj (protocol or format)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 14:21
S11	26804	multiple with encod\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 14:22
S12	1607	S11 and encrypt\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 14:22
S13	643	S12 and (encod\$3 with encrypt\$3)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 14:22
S14	204	S13 and ((transport or network) with (protocol))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 14:25
S15	14	S14 and @ad<"19970627"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 14:25

S16	82	(twice or multiple or double) with encod\$3 with ((transport or network) with (protocol))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 14:44
S17	12	S16 and @ad<"19970627"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 14:25
S18	689	(encrypt\$3 with encoded with (message or packet))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 14:44
S19	151	S18 and @ad<"19970627"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 14:44
S20	27	S19 and (network or transport) with (format or protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 14:49
S21	28104	(triple or multiple) with encod\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 14:49
S22	2759	S21 and (network or transport) with (format or protocol)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 14:50
S23	406	S22 and @ad<"19970627"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 14:50

S24	19	S23 and proxy	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:05
S25	191	hoffmann adj gerhard	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:05
S26	1	S25 and capellaro	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:40
S27	0	snmp with get with set with encrypt\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:40
S28	103	snmp with encrypt\$3	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:42
S29	96	S28 and (get or set)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:40
S30	37	S28 and (get and set)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:40
S31	0	S28 and ((get and set) with (encipher\$3 or encapsulat\$3))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:41

S32	0	S30 and @ad<"19970627"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:41
S33	0	S28 and @ad<"19970627"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:41
S34	680	snmp and @ad<"19970627"	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:42
S35	90	S34 and (set adj (request or command))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:43
S36	42	S35 and (get adj (request or command))	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:43
S37	18	S36 and (encrypt\$3 or authenticat\$3 or cryptograph\$6)	US-PGPUB; USPAT; USOCR; EPO; DERWENT; IBM_TDB	OR	ON	2006/01/05 15:43